



PERRY JOHNSON LABORATORY ACCREDITATION, INC.

Certificate of Accreditation

Perry Johnson Laboratory Accreditation, Inc. has assessed the Laboratory of:

Battelle

141 Longwater Drive, Suite 202, Norwell, MA 02061

(Hereinafter called the Organization) and hereby declares that Organization has met the requirements of ISO/IEC 17025:2005 “General Requirements for the competence of Testing and Calibration Laboratories” and the DoD Quality Systems Manual for Environmental Laboratories Version 5.1.1 February 2018 and is accredited in accordance with the:

United States Department of Defense Environmental Laboratory Accreditation Program (DoD-ELAP)

***This accreditation demonstrates technical competence for the defined scope:
Environmental Testing
(As detailed in the supplement)***

Accreditation claims for such testing and/or calibration services shall only be made from addresses referenced within this certificate. This Accreditation is granted subject to the system rules governing the Accreditation referred to above, and the Organization hereby covenants with the Accreditation body’s duty to observe and comply with the said rules.

For PJLA:

Tracy Szerszen
President/Operations Manager

Initial Accreditation Date:

November 17, 2016

Issue Date:

December 20, 2018

Expiration Date:

February 28, 2021

Revision Date:

January 22, 2019

Accreditation No.:

91667

Certificate No.:

L18-588-R1

Perry Johnson Laboratory
Accreditation, Inc. (PJLA)
755 W. Big Beaver, Suite 1325
Troy, Michigan 48084

The validity of this certificate is maintained through ongoing assessments based on a continuous accreditation cycle. The validity of this certificate should be confirmed through the PJLA website: www.pjlabs.com



Certificate of Accreditation: Supplement

ISO/IEC 17025:2005 and DoD-ELAP

Battelle

141 Longwater Drive, Suite 202, Norwell, MA 02061
 Contact Name: Jonathan Thorn Phone: 781-681-5565

Accreditation is granted to the facility to perform the following testing:

Matrix	Standard/Method	Technology	Analyte
Drinking Water	EPA 537.1	LC/MS/MS	4,8-dioxa-3H-perfluorononanoic acid (ADONA)
Drinking Water	EPA 537.1	LC/MS/MS	9-chlorohexadecafluoro-3-oxanone-1-sulfonic acid (9Cl-PF3ONS)
Drinking Water	EPA 537.1	LC/MS/MS	11-chloroeicosafluoro-3-oxaundecane-1-sulfonic acid (11Cl-PF3OUdS)
Drinking Water	EPA 537.1	LC/MS/MS	Hexafluoropropylene oxide dimer acid (HFPO-DA)
Drinking Water	EPA 537.1	LC/MS/MS	Perfluoro-n-hexanoic acid (PFHxA)
Drinking Water	EPA 537.1	LC/MS/MS	Perfluoro-n-heptanoic Acid (PFHpA)
Drinking Water	EPA 537.1	LC/MS/MS	Perfluoro-n-octanoic Acid (PFOA)
Drinking Water	EPA 537.1	LC/MS/MS	Perfluorononanoic acid (PFNA)
Drinking Water	EPA 537.1	LC/MS/MS	Perfluoro-n-decanoic Acid (PFDA)
Drinking Water	EPA 537.1	LC/MS/MS	Perfluoro-n-undecanoic acid (PFUnA)
Drinking Water	EPA 537.1	LC/MS/MS	Perfluoro-n-dodecanoic acid (PFDoA)
Drinking Water	EPA 537.1	LC/MS/MS	Perfluoro-n-tridecanoic acid (PFTrDA)
Drinking Water	EPA 537.1	LC/MS/MS	Perfluoro-n-tetradecanoic acid (PFTeDA)
Drinking Water	EPA 537.1	LC/MS/MS	N-methylperfluoro-1-octanesulfonamidoacetic acid (NMeFOSAA)
Drinking Water	EPA 537.1	LC/MS/MS	N-ethylperfluoro-octanesulfonamidoacetic acid (NEtFOSAA)
Drinking Water	EPA 537.1	LC/MS/MS	Perfluoro-1-butanefulfonic Acid (PFBS)
Drinking Water	EPA 537.1	LC/MS/MS	Perfluoro-1-hexanesulfonic Acid (PFHxS)
Drinking Water	EPA 537.1	LC/MS/MS	Perfluoro-1-octanesulphonic Acid (PFOS)
Solids/Tissues	PFAS by LCMSMS Compliant with QSM 5.1 Table B-15	LC/MS/MS	Perfluoro-1-octanesulfonamide (PFOSA)
Aqueous/Solids/Tissues	PFAS by LCMSMS Compliant with QSM 5.1 Table B-15	LC/MS/MS	Sodium perfluoro-1-pentanesulfonate (PFPeS)
Aqueous/Solids/Tissues	PFAS by LCMSMS Compliant with QSM 5.1 Table B-15	LC/MS/MS	Perfluoro-1-nonanesulfonate (PFNS)
Aqueous/Solids/Tissues	PFAS by LCMSMS Compliant with QSM 5.1 Table B-15	LC/MS/MS	Perfluoro-1-heptanesulfonate (PFHpS)
Aqueous/Solids/Tissues	PFAS by LCMSMS Compliant with QSM 5.1 Table B-15	LC/MS/MS	N-ethylperfluoro-octanesulfonamidoacetic acid (NEtFOSAA)
Aqueous/Solids/Tissues	PFAS by LCMSMS Compliant with QSM 5.1 Table B-15	LC/MS/MS	1H,1H,2H,2H-Perfluorohexane sulfonate (4:2FTS)



Certificate of Accreditation: Supplement

ISO/IEC 17025:2005 and DoD-ELAP

Battelle

141 Longwater Drive, Suite 202, Norwell, MA 02061
Contact Name: Jonathan Thorn Phone: 781-681-5565

Accreditation is granted to the facility to perform the following testing:

Matrix	Standard/Method	Technology	Analyte
Aqueous/Solids/Tissues	PFAS by LCMSMS Compliant with QSM 5.1 Table B-15	LC/MS/MS	1H,1H,2H,2H-Perfluorooctane sulfonate (6:2FTS)
Aqueous/Solids/Tissues	PFAS by LCMSMS Compliant with QSM 5.1 Table B-15	LC/MS/MS	1H,1H,2H,2H-Perfluorodecane sulfonate (8:2FTS)
Aqueous/Solids/Tissues	PFAS by LCMSMS Compliant with QSM 5.1 Table B-15	LC/MS/MS	Perfluoro-n-butanoic Acid (PFBA)
Aqueous/Solids/Tissues	PFAS by LCMSMS Compliant with QSM 5.1 Table B-15	LC/MS/MS	Perfluoro-n-pentanoic acid (PFPeA)
Aqueous/Solids/Tissues	PFAS by LCMSMS Compliant with QSM 5.1 Table B-15	LC/MS/MS	Perfluoro-n-hexanoic acid (PFHxA)
Aqueous/Solids/Tissues	PFAS by LCMSMS Compliant with QSM 5.1 Table B-15	LC/MS/MS	Perfluoro-n-heptanoic Acid (PFHpA)
Aqueous/Solids/Tissues	PFAS by LCMSMS Compliant with QSM 5.1 Table B-15	LC/MS/MS	Perfluoro-n-octanoic Acid (PFOA)
Aqueous/Solids/Tissues	PFAS by LCMSMS Compliant with QSM 5.1 Table B-15	LC/MS/MS	Perfluorononanoic acid (PFNA)
Aqueous/Solids/Tissues	PFAS by LCMSMS Compliant with QSM 5.1 Table B-15	LC/MS/MS	Perfluoro-n-decanoic Acid (PFDA)
Aqueous/Solids/Tissues	PFAS by LCMSMS Compliant with QSM 5.1 Table B-15	LC/MS/MS	Perfluoro-n-undecanoic acid (PFUnA)
Aqueous/Solids/Tissues	PFAS by LCMSMS Compliant with QSM 5.1 Table B-15	LC/MS/MS	Perfluoro-n-dodecanoic acid (PFDoA)
Aqueous/Solids/Tissues	PFAS by LCMSMS Compliant with QSM 5.1 Table B-15	LC/MS/MS	Perfluoro-n-tridecanoic acid (PFTrDA)
Aqueous/Solids/Tissues	PFAS by LCMSMS Compliant with QSM 5.1 Table B-15	LC/MS/MS	Perfluoro-n-tetradecanoic acid (PFTeDA)
Aqueous/Solids/Tissues	PFAS by LCMSMS Compliant with QSM 5.1 Table B-15	LC/MS/MS	N-methylperfluoro-1-octanesulfonamidoacetic acid (NMeFOSAA)
Aqueous/Solids/Tissues	PFAS by LCMSMS Compliant with QSM 5.1 Table B-15	LC/MS/MS	Perfluoro-1-butanefulfonic Acid (PFBS)



Certificate of Accreditation: Supplement

ISO/IEC 17025:2005 and DoD-ELAP

Battelle

141 Longwater Drive, Suite 202, Norwell, MA 02061
Contact Name: Jonathan Thorn Phone: 781-681-5565

Accreditation is granted to the facility to perform the following testing:

Matrix	Standard/Method	Technology	Analyte
Aqueous/Solids/Tissues	PFAS by LCMSMS Compliant with QSM 5.1 Table B-15	LC/MS/MS	Perfluoro-1-hexanesulfonic Acid (PFHxS)
Aqueous/Solids/Tissues	PFAS by LCMSMS Compliant with QSM 5.1 Table B-15	LC/MS/MS	Perfluoro-1-octanesulphonic Acid (PFOS)
Aqueous/Solids/Tissues	PFAS by LCMSMS Compliant with QSM 5.1 Table B-15	LC/MS/MS	Perfluoro-1-decanesulfonate (PFDS)
Aqueous/Solid/Tissue	EPA 8081 MOD	GC-ECD	2,2',3,3',4,4'-Hexachlorobiphenyl (BZ 128)
Aqueous/Solid/Tissue	EPA 8081 MOD	GC-ECD	2,2',3,3',4,5'-Hexachlorobiphenyl (BZ 129)
Aqueous/Solid/Tissue	EPA 8081 MOD	GC-ECD	2,2',3,4,4',5,5'-Heptachlorobiphenyl (BZ 180)
Aqueous/Solid/Tissue	EPA 8081 MOD	GC-ECD	2,2',3,4,4',5',6'-Heptachlorobiphenyl (BZ 183)
Aqueous/Solid/Tissue	EPA 8081 MOD	GC-ECD	2,2',3,4,4',5'-Hexachlorobiphenyl (BZ 138)
Aqueous/Solid/Tissue	EPA 8081 MOD	GC-ECD	2,2',3,4,4',6,6'-Heptachlorobiphenyl (BZ 184)
Aqueous/Solid/Tissue	EPA 8081 MOD	GC-ECD	2,2',3,4',5,5',6'-Heptachlorobiphenyl (BZ 187)
Aqueous/Solid/Tissue	EPA 8081 MOD	GC-ECD	2,2',3,4,5'-Pentachlorobiphenyl (BZ 87)
Aqueous/Solid/Tissue	EPA 8081 MOD	GC-ECD	2,2',3,5'-Tetrachlorobiphenyl (BZ 44)
Aqueous/Solid/Tissue	EPA 8081 MOD	GC-ECD	2,2',4,4',5,5'-Hexachlorobiphenyl (BZ 153)
Aqueous/Solid/Tissue	EPA 8081 MOD	GC-ECD	2,2',4,5,5'-Pentachlorobiphenyl (BZ 101)
Aqueous/Solid/Tissue	EPA 8081 MOD	GC-ECD	2,2',4,5'-Tetrachlorobiphenyl (BZ 49)
Aqueous/Solid/Tissue	EPA 8081 MOD	GC-ECD	2,2',5,5'-Tetrachlorobiphenyl (BZ 52)
Aqueous/Solid/Tissue	EPA 8081 MOD	GC-ECD	2,2',5-Trichlorobiphenyl (BZ 18)
Aqueous/Solid/Tissue	EPA 8081 MOD	GC-ECD	2,3,3',4,4'-Pentachlorobiphenyl (BZ 105)
Aqueous/Solid/Tissue	EPA 8081 MOD	GC-ECD	2,3,3',4',6-Pentachlorobiphenyl (BZ 110)
Aqueous/Solid/Tissue	EPA 8081 MOD	GC-ECD	2,3',4,4',5-Pentachlorobiphenyl (BZ 118)
Aqueous/Solid/Tissue	EPA 8081 MOD	GC-ECD	2,3',4,4'-Tetrachlorobiphenyl (BZ 66)
Aqueous/Solid/Tissue	EPA 8081 MOD	GC-ECD	2,4,4'-Trichlorobiphenyl (BZ 28)
Aqueous/Solid/Tissue	EPA 8081 MOD	GC-ECD	2,4'-DDD
Aqueous/Solid/Tissue	EPA 8081 MOD	GC-ECD	2,4'-DDE
Aqueous/Solid/Tissue	EPA 8081 MOD	GC-ECD	2,4'-DDT
Aqueous/Solid/Tissue	EPA 8081 MOD	GC-ECD	2,4'-Dichlorobiphenyl (BZ 8)
Aqueous/Solid/Tissue	EPA 8081 MOD	GC-ECD	3,3',4,4',5,5'-Hexachlorobiphenyl (BZ 169)
Aqueous/Solid/Tissue	EPA 8081 MOD	GC-ECD	3,3',4,4',5-Pentachlorobiphenyl (BZ 126)
Aqueous/Solid/Tissue	EPA 8081 MOD	GC-ECD	3,3',4,4'-Tetrachlorobiphenyl (BZ 77)
Aqueous/Solid/Tissue	EPA 8081 MOD	GC-ECD	4,4'-DDD
Aqueous/Solid/Tissue	EPA 8081 MOD	GC-ECD	4,4'-DDE
Aqueous/Solid/Tissue	EPA 8081 MOD	GC-ECD	4,4'-DDT



Certificate of Accreditation: Supplement

ISO/IEC 17025:2005 and DoD-ELAP

Battelle

141 Longwater Drive, Suite 202, Norwell, MA 02061
Contact Name: Jonathan Thorn Phone: 781-681-5565

Accreditation is granted to the facility to perform the following testing:

Matrix	Standard/Method	Technology	Analyte
Aqueous/Solid/Tissue	EPA 8081 MOD	GC-ECD	Aldrin
Aqueous/Solid/Tissue	EPA 8081 MOD	GC-ECD	alpha-BHC (alpha-Hexachlorocyclohexane)
Aqueous/Solid/Tissue	EPA 8081 MOD	GC-ECD	alpha-Chlordane
Aqueous/Solid/Tissue	EPA 8081 MOD	GC-ECD	beta-BHC (beta-Hexachlorocyclohexane)
Aqueous/Solid/Tissue	EPA 8081 MOD	GC-ECD	Chlorpyrifos
Aqueous/Solid/Tissue	EPA 8081 MOD	GC-ECD	cis-Nonachlor
Aqueous/Solid/Tissue	EPA 8081 MOD	GC-ECD	Decachlorobiphenyl (BZ 209)
Aqueous/Solid/Tissue	EPA 8081 MOD	GC-ECD	delta-BHC
Aqueous/Solid/Tissue	EPA 8081 MOD	GC-ECD	Dieldrin
Aqueous/Solid/Tissue	EPA 8081 MOD	GC-ECD	Endosulfan II
Aqueous/Solid/Tissue	EPA 8081 MOD	GC-ECD	Endosulfan I
Aqueous/Solid/Tissue	EPA 8081 MOD	GC-ECD	Endosulfan sulfate
Aqueous/Solid/Tissue	EPA 8081 MOD	GC-ECD	Endrin
Aqueous/Solid/Tissue	EPA 8081 MOD	GC-ECD	Endrin aldehyde
Aqueous/Solid/Tissue	EPA 8081 MOD	GC-ECD	Endrin ketone
Aqueous/Solid/Tissue	EPA 8081 MOD	GC-ECD	gamma-BHC (Lindane, gamma-Hexachlorocyclohexane)
Aqueous/Solid/Tissue	EPA 8081 MOD	GC-ECD	gamma-Chlordane
Aqueous/Solid/Tissue	EPA 8081 MOD	GC-ECD	Heptachlor
Aqueous/Solid/Tissue	EPA 8081 MOD	GC-ECD	Heptachlor epoxide
Aqueous/Solid/Tissue	EPA 8081 MOD	GC-ECD	Hexachlorobenzene
Aqueous/Solid/Tissue	EPA 8081 MOD	GC-ECD	Methoxychlor
Aqueous/Solid/Tissue	EPA 8081 MOD	GC-ECD	Mirex
Aqueous/Solid/Tissue	EPA 8081 MOD	GC-ECD	Oxychlordane
Aqueous/Solid/Tissue	EPA 8081 MOD	GC-ECD	trans-Nonachlor
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	1,4-Dichlorobenzene
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	1-Methylnaphthalene
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	1-Methylphenanthrene
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	2,2',3,3',4,4',5,5',6-Nonachlorobiphenyl (BZ 206)
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	2,2',3,3',4,4',5,5'-Octachlorobiphenyl (BZ 194)
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	2,2',3,3',4,4',5,6,6'-Nonachlorobiphenyl (BZ 207)
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	2,2',3,3',4,4',5,6-Octachlorobiphenyl (BZ 195)
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	2,2',3,3',4,4',5-Heptachlorobiphenyl (BZ 170)
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	2,2',3,3',4,4',6,6'-Octachlorobiphenyl (BZ 197)
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	2,2',3,3',4,4',6-Heptachlorobiphenyl (BZ 171)



Certificate of Accreditation: Supplement

ISO/IEC 17025:2005 and DoD-ELAP

Battelle

141 Longwater Drive, Suite 202, Norwell, MA 02061
Contact Name: Jonathan Thorn Phone: 781-681-5565

Accreditation is granted to the facility to perform the following testing:

Matrix	Standard/Method	Technology	Analyte
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	2,2',3,3',4,4'-Hexachlorobiphenyl (BZ 128)
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	2,2',3,3',4,5,5',6,6'-Nonachlorobiphenyl (BZ 208)
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	2,2',3,3',4,5,5',6-Octachlorobiphenyl (BZ 198)
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	2,2',3,3',4,5,5',6'-Octachlorobiphenyl (BZ 199)
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	2,2',3,3',4,5,5'-Heptachlorobiphenyl (BZ 172)
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	2,2',3,3',4,5,6,6'-Octachlorobiphenyl (BZ 200)
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	2,2',3,3',4,5',6,6'-Octachlorobiphenyl (BZ 201)
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	2,2',3,3',4,5,6-Heptachlorobiphenyl (BZ 173)
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	2,2',3,3',4,5,6'-Heptachlorobiphenyl (BZ 174)
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	2,2',3,3',4,5',6-Heptachlorobiphenyl (BZ 175)
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	2,2',3,3',4,5',6'-Heptachlorobiphenyl (BZ 177)
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	2,2',3,3',4,5'-Hexachlorobiphenyl (BZ 130)
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	2,2',3,3',4,6,6'-Heptachlorobiphenyl (BZ 176)
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	2,2',3,3',4,6-Hexachlorobiphenyl (BZ 131)
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	2,2',3,3',4-Pentachlorobiphenyl (BZ 82)
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	2,2',3,3',5,5',6,6'-Octachlorobiphenyl (BZ 202)
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	2,2',3,3',5,5',6-Heptachlorobiphenyl (BZ 178)
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	2,2',3,3',5,6,6'-Heptachlorobiphenyl (BZ 179)
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	2,2',3,3',5,6-Hexachlorobiphenyl (BZ 134)
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	2,2',3,3',5,6'-Hexachlorobiphenyl (BZ 135)
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	2,2',3,3',5-Pentachlorobiphenyl (BZ 83)
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	2,2',3,3',6,6'-Hexachlorobiphenyl (BZ 136)
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	2,2',3,3',6-Pentachlorobiphenyl (BZ 84)
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	2,2',3,3'-Tetrachlorobiphenyl (BZ 40)
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	2,2',3,4,4',5,5',6-Octachlorobiphenyl (BZ 203)
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	2,2',3,4,4',5,5'-Heptachlorobiphenyl (BZ 180)
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	2,2',3,4,4',5',6-Heptachlorobiphenyl (BZ 183)
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	2,2',3,4,4',5-Hexachlorobiphenyl (BZ 137)
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	2,2',3,4,4',5'-Hexachlorobiphenyl (BZ 138)
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	2,2',3,4,4',6,6'-Heptachlorobiphenyl (BZ 184)
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	2,2',3,4,4',6-Hexachlorobiphenyl (BZ 139)
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	2,2',3,4,4',6'-Hexachlorobiphenyl (BZ 140)
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	2,2',3,4,4'-Pentachlorobiphenyl (BZ 85)
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	2,2',3,4,5,5',6-Heptachlorobiphenyl (BZ 185)
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	2,2',3,4,5,5',6-Heptachlorobiphenyl (BZ 187)



Certificate of Accreditation: Supplement

ISO/IEC 17025:2005 and DoD-ELAP

Battelle

141 Longwater Drive, Suite 202, Norwell, MA 02061
Contact Name: Jonathan Thorn Phone: 781-681-5565

Accreditation is granted to the facility to perform the following testing:

Matrix	Standard/Method	Technology	Analyte
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	2,2',3,4,5,5'-Hexachlorobiphenyl (BZ 141)
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	2,2',3,4',5,5'-Hexachlorobiphenyl (BZ 146)
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	2,2',3,4',5,6,6'-Heptachlorobiphenyl (BZ 188)
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	2,2',3,4',5',6-Hexachlorobiphenyl (BZ 149)
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	2,2',3,4,5',6-Hexachlorobiphenyl (BZ 144)
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	2,2',3,4,5'-Pentachlorobiphenyl (BZ 87)
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	2,2',3,4',5'-Pentachlorobiphenyl (BZ 97)
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	2,2',3,4',6-Pentachlorobiphenyl (BZ 91)
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	2,2',3,4-Tetrachlorobiphenyl (BZ 41)
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	2,2',3,4'-Tetrachlorobiphenyl (BZ 42)
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	2,2',3,5,5',6-Hexachlorobiphenyl (BZ 151)
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	2,2',3,5,5'-Pentachlorobiphenyl (BZ 92)
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	2,2',3,5',6-Pentachlorobiphenyl (BZ 95)
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	2,2',3,5-Tetrachlorobiphenyl (BZ 43)
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	2,2',3,5'-Tetrachlorobiphenyl (BZ 44)
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	2,2',3,6'-Tetrachlorobiphenyl (BZ 46)
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	2,2',3,6-Tetrachlorobiphenyl (BZ 45)
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	2,2',3-Trichlorobiphenyl (BZ 16)
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	2,2',4,4',5,5'-Hexachlorobiphenyl (BZ 153)
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	2,2',4,4',5,6'-Hexachlorobiphenyl (BZ 154)
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	2,2',4,4',5-Pentachlorobiphenyl (BZ 99)
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	2,2',4,4',6,6'-Hexachlorobiphenyl (BZ 155)
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	2,2',4,4',6-Pentachlorobiphenyl (BZ 100)
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	2,2',4,4'-Tetrachlorobiphenyl (BZ 47)
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	2,2',4,5,5'-Pentachlorobiphenyl (BZ 101)
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	2,2',4,5-Tetrachlorobiphenyl (BZ 48)
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	2,2',4,5'-Tetrachlorobiphenyl (BZ 49)
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	2,2',4,6,6'-Pentachlorobiphenyl (BZ 104)
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	2,2',4,6'-Tetrachlorobiphenyl (BZ 51)
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	2,2',4,6-Tetrachlorobiphenyl (BZ 50)
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	2,2',4-Trichlorobiphenyl (BZ 17)
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	2,2',5,5'-Tetrachlorobiphenyl (BZ 52)
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	2,2',5,6'-Tetrachlorobiphenyl (BZ 53)
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	2,2',5-Trichlorobiphenyl (BZ 18)
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	2,2',6,6'-Tetrachlorobiphenyl (BZ 54)
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	2,2',6-Trichlorobiphenyl (BZ 19)



Certificate of Accreditation: Supplement

ISO/IEC 17025:2005 and DoD-ELAP

Battelle

141 Longwater Drive, Suite 202, Norwell, MA 02061
Contact Name: Jonathan Thorn Phone: 781-681-5565

Accreditation is granted to the facility to perform the following testing:

Matrix	Standard/Method	Technology	Analyte
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	2,2'-Dichlorobiphenyl (BZ 4)
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	2,3,3',4,4',5,5',6-Octachlorobiphenyl (BZ 205)
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	2,3,3',4,4',5,5'-Heptachlorobiphenyl (BZ 189)
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	2,3,3',4,4',5,6-Heptachlorobiphenyl (BZ 190)
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	2,3,3',4,4',5',6-Heptachlorobiphenyl (BZ 191)
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	2,3,3',4,4',5-Hexachlorobiphenyl (BZ 156)
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	2,3,3',4,4',5'-Hexachlorobiphenyl (BZ 157)
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	2,3,3',4,4',6-Hexachlorobiphenyl (BZ 158)
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	2,3,3',4,4'-Pentachlorobiphenyl (BZ 105)
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	2,3,3',4',5,5',6-Heptachlorobiphenyl (BZ 193)
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	2,3,3',4',5,6-Hexachlorobiphenyl (BZ 163)
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	2,3,3',4',5,6-Hexachlorobiphenyl (BZ 164)
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	2,3,3',4',6-Pentachlorobiphenyl (BZ 110)
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	2,3,3',4'-Tetrachlorobiphenyl (BZ 56)
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	2,3',4,4',5,5'-Hexachlorobiphenyl (BZ 167)
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	2,3,4,4',5,6-Hexachlorobiphenyl (BZ 166)
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	2,3,4,4',5-Pentachlorobiphenyl (BZ 114)
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	2,3',4,4',5-Pentachlorobiphenyl (BZ 118)
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	2,3',4,4',5'-Pentachlorobiphenyl (BZ 123)
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	2,3,4,4',6-Pentachlorobiphenyl (BZ 115)
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	2,3,4,4'-Tetrachlorobiphenyl (BZ 60)
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	2,3',4,4'-Tetrachlorobiphenyl (BZ 66)
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	2,3',4',5,5'-Pentachlorobiphenyl (BZ 124)
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	2,3',4',5',6-Pentachlorobiphenyl (BZ 125)
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	2,3,4',5-Tetrachlorobiphenyl (BZ 63)
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	2,3',4,5-Tetrachlorobiphenyl (BZ 67)
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	2,3',4',5-Tetrachlorobiphenyl (BZ 70)
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	2,3,4',6-Tetrachlorobiphenyl (BZ 64)
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	2,3',4',6-Tetrachlorobiphenyl (BZ 71)
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	2,3,4'-Trichlorobiphenyl (BZ 22)
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	2,3',4-Trichlorobiphenyl (BZ 25)
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	2,3',4'-Trichlorobiphenyl (BZ 33)
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	2,3',5-Trichlorobiphenyl (BZ 26)
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	2,3,5-Trimethylnaphthalene
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	2,3,6-Trichlorobiphenyl (BZ 24)
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	2,3',6-Trichlorobiphenyl (BZ 27)



Certificate of Accreditation: Supplement

ISO/IEC 17025:2005 and DoD-ELAP

Battelle

141 Longwater Drive, Suite 202, Norwell, MA 02061
Contact Name: Jonathan Thorn Phone: 781-681-5565

Accreditation is granted to the facility to perform the following testing:

Matrix	Standard/Method	Technology	Analyte
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	2,3-Dichlorobiphenyl (BZ 5)
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	2,3'-Dichlorobiphenyl (BZ 6)
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	2,4,4',5-Tetrachlorobiphenyl (BZ 74)
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	2,4,4',6-Tetrachlorobiphenyl (BZ 75)
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	2,4,4'-Trichlorobiphenyl (BZ 28)
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	2,4,5-Trichlorobiphenyl (BZ 29)
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	2,4',5-Trichlorobiphenyl (BZ 31)
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	2,4,6-Trichlorobiphenyl (BZ 30)
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	2,4',6-Trichlorobiphenyl (BZ 32)
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	2,4'-DDD
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	2,4'-DDE
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	2,4'-DDT
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	2,4-Dichlorobiphenyl (BZ 7)
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	2,4'-Dichlorobiphenyl (BZ 8)
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	2,5-Dichlorobiphenyl (BZ 9)
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	2,6-Dimethylnaphthalene
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	2-Chlorobiphenyl (BZ 1)
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	2-Chloronaphthalene
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	2-Methylnaphthalene
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	2-Methylphenanthrene
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	3,3',4,4',5,5'-Hexachlorobiphenyl (BZ 169)
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	3,3',4,4',5-Pentachlorobiphenyl (BZ 126)
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	3,3',4,4'-Tetrachlorobiphenyl (BZ 77)
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	3,3',4,5,5'-Pentachlorobiphenyl (BZ 127)
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	3,3',5,5'-Tetrachlorobiphenyl (BZ 80)
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	3,3'-Dichlorobiphenyl (BZ 11)
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	3,4,4',5-Tetrachlorobiphenyl (BZ 81)
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	3,4,4'-Trichlorobiphenyl (BZ 37)
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	3,4-Dichlorobiphenyl (BZ 12)
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	3,4'-Dichlorobiphenyl (BZ 13)
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	3,6-Dimethylphenanthrene
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	4,4'-Dichlorobiphenyl (BZ 15)
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	4-Chlorobiphenyl (BZ 3)
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	Acenaphthene
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	Acenaphthylene
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	Anthracene



Certificate of Accreditation: Supplement

ISO/IEC 17025:2005 and DoD-ELAP

Battelle

141 Longwater Drive, Suite 202, Norwell, MA 02061
Contact Name: Jonathan Thorn Phone: 781-681-5565

Accreditation is granted to the facility to perform the following testing:

Matrix	Standard/Method	Technology	Analyte
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	Benzo(a)anthracene
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	Benzo(a)pyrene
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	Benzo(b)fluoranthene
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	Benzo(b)thiophene
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	Benzo(e)pyrene
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	Benzo(g,h,i)perylene
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	Benzo(k)fluoranthene
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	Biphenyl
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	Chrysene
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	cis-Decalin
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	Decachlorobiphenyl (BZ 209)
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	Dibenz(a,h)anthracene
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	Dibenzofuran
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	Dibenzothiophene
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	Fluoranthene
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	Fluorene
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	Indeno(1,2,3-cd)pyrene
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	Naphthalene
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	Perylene
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	Phenanthrene
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	Pyrene
Aqueous/Solid/Tissue	EPA 8270D MOD	GC-MS	trans-Decalin



Certificate of Accreditation: Supplement
ISO/IEC 17025:2005 and DoD-ELAP

Battelle

141 Longwater Drive, Suite 202, Norwell, MA 02061
Contact Name: Jonathan Thorn Phone: 781-681-5565

Accreditation is granted to the facility to perform the following testing:

Matrix	Standard/Method	Technology	Analyte
Aqueous	EPA 3510 C	Separatory Funnel	Prep
Aqueous	EPA 3640A MOD	Gel-permeation chromatography (GPC)	Cleanup
Aqueous	EPA 3660B MOD	Sulfur Cleanup	Cleanup
Solid	EPA 3640A MOD	Gel-permeation chromatography (GPC)	Cleanup
Solid	EPA 3660B MOD	Sulfur Cleanup	Cleanup
Solid	NOAA NOS ORCA 71	Orbital Shaker	Prep
Tissue	EPA 3640A MOD	Gel-permeation chromatography (GPC)	Cleanup
Tissue	EPA 3660B MOD	Sulfur Cleanup	Cleanup
Tissue	NOAA NOS ORCA 71	Tissuemizer	Prep

