



State of Florida
Department of Health, Bureau of Public Health Laboratories
This is to certify that



E87856

BATTELLE ANALYTICAL CHEMISTRY SERVICES LABORATORY
141 LONGWATER DRIVE, SUITE 202
NORWELL, MA 02061

has complied with Florida Administrative Code 64E-1,
for the examination of environmental samples in the following categories

DRINKING WATER - GROUP III UNREGULATED CONTAMINANTS, NON-POTABLE WATER - EXTRACTABLE ORGANICS, NON-POTABLE WATER - PESTICIDES-HERBICIDES-PCB'S, SOLID AND CHEMICAL MATERIALS - EXTRACTABLE ORGANICS, SOLID AND CHEMICAL MATERIALS - PESTICIDES-HERBICIDES-PCB'S, BIOLOGICAL TISSUE - EXTRACTABLE ORGANICS, BIOLOGICAL TISSUE - PESTICIDES-HERBICIDES-PCB'S

Continued certification is contingent upon successful on-going compliance with the NELAC Standards and FAC Rule 64E-1 regulations. Specific methods and analytes certified are cited on the Laboratory Scope of Accreditation for this laboratory and are on file at the Bureau of Public Health Laboratories, P. O. Box 210, Jacksonville, Florida 32231. Clients and customers are urged to verify with this agency the laboratory's certification status in Florida for particular methods and analytes.

Date Issued: July 01, 2018 Expiration Date: June 30, 2019



A blue ink signature of Patty A. Lewandowski.

Patty A. Lewandowski, MBA, MT(ASCP)
Chief Bureau of Public Health Laboratories
DH Form 1697, 7/04

NON-TRANSFERABLE E87856-28-07/01/2018
Supersedes all previously issued certificates